

18. A Combined Experimental and ab initio Multi Reference Configuration Interaction study of the Resonant Inelastic X-Ray Scattering spectrum of CO₂.
D. Maganas, P. Kristiansen, L.-C. Duda, A. Knop Gericke, S. DeBeer, R. Schlögl and F. Neese, *J. Phys. Chem. C*, **2014**.
17. Restricted Open-Shell Configuration Interaction Cluster Calculations of the L-Edge X-ray Absorption Study of TiO₂ and CaF₂ Solids.
D. Maganas, S. DeBeer, and F. Neese, *Inorg. Chem.*, **2014**, 53 (13), 6374–6385
16. L-Edge X-Ray Absorption Study of Mononuclear Vanadium Complexes and Spectral Predictions Using a Restricted Open Shell Configuration Interaction Ansatz.
D. Maganas, M. Roemelt, T. Weyhermüller, R. Blume, M. Haevecker, A. Knop-Gericke, S. DeBeer, R. Schlögl and F. Neese, *Phys. Chem. Chem. Phys.*, **2014**, 16, 264-276
15. A combined DFT and restricted open-shell configuration interaction method including spin-orbit coupling: Application to transition metal L-edge X-ray absorption spectroscopy.
M. Roemet, D. Maganas, S. DeBeer and F. Neese, *J. Chem. Phys.*, **2013**, 138, 204101.
14. First principles calculations of the structure and V L-edge X-ray absorption spectra of V₂O₅ using local pair natural orbital coupled cluster theory and spin-orbit coupled configuration interaction approaches.
D. Maganas, Michael Roemelt, Michael Hävecker, Annette Trunschke, Axel Knop-Gericke, Robert Schlögl and Frank Neese, *Phys. Chem. Chem. Phys.*, **2013**, 15, 7260-7276
13. Synthesis of Chalcogenidoimidodiphosphinato–Rh^I Complexes and DFT Investigation of Their Catalytic Activation in Olefin Hydroformylation, A. Grigoropoulos, D Maganas, D Symeonidis, P Giastas, AR Cowley, P Kyritsis, et. al., *European Journal of Inorganic Chemistry*, **2013**, 1170–1183
12. Electronic and magnetic properties of the binuclear Mn₂{(OPPh₂)₂}₄ complex, as revealed by magnetometry, EPR and Density Functional Broken-Symmetry studies
TD Tzima, E Ferentinos, D Maganas, VS Melissas, Y Sanakis, P Kyritsis *Polyhedron*, **2013**, 52, 706-712
11. High-frequency EPR study of the high-spin Fe^(II) complex Fe [(SPPH₂)₂N]₂
G Mathies, SD Chatziefthimiou, D Maganas, Y Sanakis, S Sottini, P Kyritsis, et al., *Journal of Magnetic Resonance*, **2012**, 224, 94-100.

10. Investigating Magnetostructural Correlations in the Pseudooctahedral trans-[Ni^{II}{(OPPh₂)(EPPPh₂)N}₂(sol)₂] Complexes (E = S, Se; sol = DMF, THF) by Magnetometry, HFEPR, and ab Initio Quantum Chemistry.
D. Maganas, J. Krzystek, E., Ferentinos, P. Kyritsis, et al., *Inorganic Chemistry* **2012**, 51 7218-7231
9. Theoretical Analysis of the Spin Hamiltonian Parameters in Co^{II}S₄ Complexes, Using Density Functional Theory and Correlated ab initio Methods.
D. Maganas, S., Sottini, P., Kyritsis and F. Neese., *Inorg. Chem.* **2011**, 50 8741-8)
8. Conversion of tetrahedral to octahedral structures upon solvent coordination: studies on the M[(OPPh₂)(SePPPh₂)N]₂ (M = Co, Ni) and [Ni{(OPPh₂)(EPPPh₂)N}₂(dmf)₂] (E = S, Se) complexes
E., Ferentinos, D. Maganas, C., Raptopoulou, P., Kyritsis, et al., *Dalton Transactions* **2011**, 40 169-180
7. Tetrahedral and Square Planar Ni[(SPR₂)₂N]₂ complexes, R = Ph & Pr-i Revisited: Experimental and Theoretical Analysis of Interconversion Pathways, Structural Preferences, and Spin Delocalization.
D. Maganas, A. Grigoropoulos, S. Staniland, P. Kyritsis, F. Neese, et al., *Inorg. Chem.* **2010**, 49 5079-5093
6. A Multifrequency High-Field Electron Paramagnetic Resonance Study of Co^{II}S₄ Coordination
D. Maganas, S. Milikisyants, J. Rijnbeek, E.J.J. Groenen, et al., *Inorg. Chem.* **2009**, 49, 595-605
5. A W-band pulsed EPR/ENDOR study of Co^{II}S₄ coordination in the Co[(SPPPh₂)(SPPPr₂-Pr-i)N]₂ complex.
S. Silvia; M. Guinevere; G. Peter, D. Maganas E.J.J Groenen, et al., *Physical Chemistry Chemical Physics* **2009**, 11 6727-6732
4. Ni[(EPPPr₂-Pr-i)₂N]₂ complexes: Stereoisomers (E = Se) and square-planar coordination (E = Te).
N. Levesanos, N. Robertson, D. Stuart, D. Maganas, P. Kyritsis et al., *Inorg. Chem.* **2008**, 47, 2949-2951
3. Ligands that enforce unnatural stereoisomers.
D. Maganas, P. Kyritsis, A. Gabriel and S. Alvarez, *Dalton Transactions* 2008, 2235-2237
2. DFT Studies on the Electronic Properties of Multinuclear Complexes Involving Cu (I) Ions and Chelate Ligands Containing Either S, Se or Te in the Coordination Sphere
D. Maganas, HPC-Europa, Science and supercomputing in Europe, ISBD 978-88-86037-21-1, report **2007**

2014

1. Structural, spectroscopic and magnetic properties of $M[R_2P(E)NP(E)R'(2)]_2$ complexes, $M = Co, Mn, E = S, Se$ and $R, R' = Ph$ or $Pr-i$. Covalency of M-S bonds from experimental data and theoretical calculations.
D. Maganas, S. Staniland, A. Grigoropoulos, P. Kyritsis, et al., *Dalton Transactions* **2006**, 2301-2315